


Hydraulic Power Units

Flat Frame Briggs Hydraulic Power Unit – 8 H.P.

BRIGGS HP-8M-BRIG (Recoil Start)

BRIGGS HP-8E-BRIG (Dual Start -Recoil /Electric)



INCLUDES:

- BRIGGS & STRATTON 8 HP ENGINE
- 8 GALLON OIL RESERVOIR WITH SIGHT GAUGE
- OIL FILTER
- STANDARD QUICK COUPLERS
- DIRECTIONAL CONTROL VALVE WITH DETENT
- 7-1/2 GPM 1500 PSI
- WITH BATTERY AND CABLES
- LESS HYDRAULIC AND MOTOR OIL

Flat Frame Honda Hydraulic Power Unit – 8 H. P.,

HONDA HP-8E-HOND (Dual Start Recoil/Electric)

INCLUDES:

- HONDA 8 HP ENGINE
- 8 GALLON OIL RESERVOIR WITH SIGHT GAUGE
- OIL FILTER
- DIRECTIONAL CONTROL VALVE WITH DETENT
- 7-1/2 GPM 1500 PSI
- WITH BATTERY & CABLES
- LESS HYDRAULIC AND MOTOR OIL



www.bloommfg.com

BLOOM

Manufacturing Inc.

Winch Division

"Custom Engineered Solutions"

**Lifting
Pulling
Hoisting**

Toll Free Number: 1-800-394-1139

1443 220th Street,, Independence, Iowa 50644 • FAX: 319-827-1140 • PHONE: 319-827-1139

Portable Hydraulic Power Units

HONDA HP-13E-HOND (Dual Start – Recoil/Electric)



Model HP 13E

- HONDA 13 HP ENGINE
- 30 GALLON OIL RESERVOIR WITH SIGHT GAUGE
- OIL FILTER
- OPTIONAL CONTROL VALVES
- 9.2 GPM 1800 PSI
- WITH BATTERY & CABLES
- LESS HYDRAULIC AND MOTOR OIL

HONDA HP-13EX-HOND (Dual Start – Recoil/Electric)

INCLUDES:

- HONDA 13 HP ENGINE
- 9 GALLON OIL RESERVOIR WITH SIGHT GAUGE
- OIL FILTER
- OPTIONAL CONTROL VALVES
- 5.6 GPM 2800 PSI or 8.0 GPM 2000 PSI
- WITH BATTERY & CABLE
- LESS HYDRAULIC AND MOTOR OIL

Optional 8.1 GPM @ 2000 PSI OR 9.2 GPM @ 2000 PSI pumps available for \$100 Adder, (may delay order)



BLOOM

Manufacturing Inc.
Winch Division

*Lifting
Pulling
Hoisting*

www.bloommfg.com

"Custom Engineered Solutions"

Toll Free Number: 1-800-394-1139

1443 220th Street, Independence, Iowa 50644 • FAX: 319-827-1140 • PHONE: 319-827-1139

FLAT FRAME HONDA HYDRAULIC POWER UNIT – 24 H.P

HONDA HP-24E-HOND

INCLUDES:

HONDA 24 HP ENGINE

- 12VDC ELECTRIC START WITH MUFFLER
- 6.5 GALLON GAS TANK
- 30 GALLON OIL RESERVOIR
- SIGHT / TEMP GAUGE
- OIL FILTER
- SYSTEM PRESSURE RELIEF VALVE
- OPTIONAL CONTROL VALVE
- 15.7 GPM AT 2000 PSI
- WITH BATTERY AND CABLES
- LESS HYDRAULIC AND MOTOR OIL



AC ELECTRIC HYDRAULIC POWER UNITS

INCLUDES:

HYDRAULIC PUMP

TANK WITH GAUGES

FILTER

DIRECTIONAL CONTROL

VALVE



Engineered to order – Prices Quoted

Directional Control and Flow Control Valves

SDS 100 Solenoid Control Valve

- Solenoid activated hydraulic valve
- 4 way 3 position with hand lever
- Available with up to four spools
- With wired or wireless remotes
- Up to 17 GPM



SD 8 Control Valve

- 4 way 3 position with Hand Lever
- Spring Centered
- Up to 21 GPM



SD 4 Control Valve

- 4 way 3 position with Hand Lever
- Spring Centered
- Up to 12 GPM



Brand Flow Control Valve

- FC-1/2 NPT – FOR 3-12 GPM
- FC-12 SAE – FOR 3-30 GPM





HYDRAULIC POWER UNIT

Diesel

INCLUDES:

- **HATZ SilentPack 28 HP**
- **40 GALLON OIL RESERVOIR WITH SIGHT GAUGE**
- **OIL FILTER**
- **Four Way Three Position Detent Control Valve**
- **17.2 GPM 2000 PSI PUMP**
- **WITH BATTERY & CABLE**
- **LESS HYDRAULIC AND MOTOR OIL**

Delivery 6 to 8 weeks